TO XYPPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

APPLICATION FOR PERMIT STORE

Data of filing in 6		RVOIR SI			18	
_	· -	MAD			·	
	icant for correction					

Map filed		MAY	1	1987	POU under 50191	
	Haabaa Caumtuu					
The applican					rks	
Post Office	Box 11130 Street and No. or P.O. Box No.	****	, 0	f	Reno City or Town	-
Nevada 89520					plication for permission to appropriate	
		ated. (If a	ppli	cant is	a corporation, give date and place of	incorpora-
tion; if a copartne	ership or association, give nam	es of mem	bers	s.)		
	=					
1. The source	of the proposed appropriation	_{is} Unde	rgr	round	water appropriated under	
applica	tions 50191 through 50	0241 inc				
2. The amount	t of water applied for is				N/A	second-feet
					equals 448.83 gals, per min. 1,400	
					ed storage of electrical en	
	Irrigation	ı, power, mini	ng, n	anufactu	ring, domestic, or other use. Must limit to one use	
4. If use is for:						
(a) Irrigation	n, state number of acres to be i	rrigated			N/A	
(b) Stockwai	ter, state number and kinds of	animals to	be	watere	ed N/A	
(c) Other use	e (describe fully under "No. 12	. Remarks	"		see remarks	
(d) Power:						
(1) H o	rsepower developed	***********			60 megawatts	************
					ater will be recycled.	
o. line water is will be c	entered about a point	located I orated	OWI WI R	thin &M	nt. The inlet and outlet structure the Describe as being within a 40-acre subdited at a point from which the SI	vision of public
survey, and by	course and distance to a section corner.	If on unsurve	yed	land, it sh	at a point from which the SI	L
					8°W a distance of 6,350 feet	
	Describe by	y legal subdivi	ision.	If on un	3.340 et seq. Place of use surveyed land, it should be so stated.	
map has b	een filed under applic	cation 5	019	91		

	:	******		*		
7 Heavell had					December 31 , of each year.	
						la
-		_			535.010 you may be required to subm	_
					rvoirs, penstock tunnels, a which water is to be diverted, i.e. diversion struct	
	on pumphouse/powerhous	se, and	pov	ver ti	ransmission system.	
9 Estimated co	ost of works \$30	,000,000	0.00)		

10	Estimated time required to construct works	15 years.						
ν.	Listing title required to constitue, works	15 years. If well completed, describe works.						
,		15 years.						
1.	Estimated time required to complete the app	timated time required to complete the application of water to beneficial use						
2.	Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.							
	see Att	achment "A".						
		·						
		s/Donald A. Mahin By Donald A. Mahin, Agent						
-	pared bc/bl	Post Office Box 11130						
on'	paredcl/	Reno, Nevada 89520						
rot	ested							
	_							
		OF STATE ENGINEER						
ollo	This is to certify that I have examined the wing limitations and conditions:	e foregoing application, and do hereby grant the same, subject to the						
be	This application is hereby in the public interest to	y denied on the grounds that it would not approve permits to appropriate water						
	om sources on which water							
. .								
	••	be limited to the amount which can be applied to beneficial use, and						
DI I	D exceed	cubic feet per second						
Vor		nce and be completed on or before						
roc	f of completion of work shall be filed on or	before						
pp	ication of water to beneficial use shall be m	ade on or before						
roc	f of the application of water to beneficial us	se shall be filed on or before						
lap	in support of proof of beneficial use shall b	be filed on or before						
om	oletion of work filed	IN TESTIMONY WHEREOF, I.R. MICHAEL TURNIPSEED, State Engineer of Nevada, have hereunto set my hand and the seal of						
00	of beneficial use filed	my office, this 13th day of April						
ultu	ral map filed	A.D. 19. 98.						
erti								
	icate NoIssued	De la						
(3)	icate No	Makas State Engineer						

ATTACHMENT "A"

PUMPED STORAGE PROJECT NUMBER 8 STATELINE PEAK QUADRANGLE RESERVOIR SITE NO. 18

This application is for storage of water in an artificial reservoir (forebay) to be constructed as part of an electrical energy pumped storage project. This project consists of a forebay and afterbay that will recycle approximately 600 acre feet of water per day. The reservoirs will be connected to quasi-municipal water distribution facilities. The estimated annual evaporation from the forebay and afterbay in this project is less than 600 acre feet. The peak generating capacity of this project is about 60 megawatts. The power plant will be located at a point along a line connecting the forebay and afterbay.

The proposed dam in Section 18 T25N R19E M.D.B.&M. will be approximately 110 feet high and will submerge approximately 35 acres of land lying below an elevation of 6,620 feet mean sea level located within Section 18 T25N R19E M.D.B.&M. Two saddle dams approximately 40 feet high will be located in Section 18 T25N R19E M.D.B.&M. The average total vertical head of this project is approximately 1,450 feet. The selection of the power plant location, dam location and construction methods will depend upon a detailed site investigation and project optimization.

